



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

D350-636-012
Job Sheet 174568



Part No: D350-636-012

Job Qty: 1 ea

Part Name: Skidtube RH, Std Wearplates, DART (Apical) Cylindrical/Aerazur Float Comp.



Part Weight: 0 lbs

Status: Scheduled

Priority: Medium

Job Created: 3/19/18

Job Tracking No:

Due Date: 3/30/18

Created By: Michelle Gagnon-Donovan

Type: Stock

Description:

Note: DWG D3492 REV E SHEET 1, D2750-042 REV G SHEETS 1,2,5,9 IPP Rev:I 02.09.25 IPP Rev:J 06-03-23 As per Rev D IPP Rev:K 06-07.13 As per dsi9343 IPP Rev:L 07-07-28 Added SS Wearplates(Rev E) JLM Verf:EC IPP Rev:M 08-04-22 DD verified:EC IPP Rev:N 08-09-23 revF DD verified:ec IPP Rev:O 09-02-06 per PAR09-010 DD verf:EC IPP Rev:P 10.06.22 revise seq110 DD verf:EC IPP Rev:Q 10.10.01 as per IIN revH DDverf:EC IPP REV:R 13.08.27 PER ECN13-594 DD VERF:JLM

Ship Via:

Bill of Materials



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL.: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Container No: S052850



Part: D350-636-012

Job No: 174568

Serial No/Batch: S052850

Revision:

Inspector:

Date: 03/19/18

Job Routing									
Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup hrs	Run Hrs	Workcenter / Supplier	Lead Time	
90	Start up Operation	1 Ea		3/29/18	0.00	0.00	Start Up Skid tubes-1		
110	Skid tubes	1 pcs		3/29/18	0.00	4.36	Skid tubes-4		BC DAS
120	QC	1 pcs		3/29/18	0.00	0.00	QC10		38 LMS
130	QC	1 pcs		3/29/18	0.00	0.00	QC5		38
140	HandFinish	1 pcs		3/29/18	0.00	0.91	HandFinish1		SA 18-3-23
150	QC	1 pcs		3/29/18	0.00	0.00	QC7-2		BC
160	Skid tubes	1 pcs		3/29/18	0.00	4.36	Skid tubes-1		38
170	QC	1 pcs		3/29/18	0.00	0.00	QC10		38 DAS
180	QC	1 pcs		3/29/18	0.00	0.00	QC5		38
190	HandFinish	1 pcs		3/29/18	0.00	0.91	HandFinish2		SA 18-3-23
200	Spray Paint N/A	1 pcs		3/29/18	0.00	0.69	Spray Paint		
205	Outsource	1 pcs		3/29/18			ATE003-VC	PD 39531	CZ 18/04/06
210	QC	1 pcs		3/29/18	0.00	0.00	QC14		18-4-18
230	HandFinish	1 pcs		3/30/18	0.00	0.91	HandFinish4		DAS
240	QC	1 pcs		3/30/18	0.00	0.00	QC5		38
250	Packaging	1 pcs		3/30/18	0.00	0.00	Packaging1-3		28 2018
260	QC	1 pcs		3/30/18	0.00	0.00	QC4		DAS
265	DC	1 pcs		3/30/18	0.00	0.00	DC		JUN 25 2018
270	Packaging	1 pcs		3/30/18	0.00	0.00	Packaging3-1		JUN 25 2018
280	QC21-FG	1 Ea		3/30/18	0.00	0.00	QC21		JUN 25 2018

Part Op 110 - 1- Pick D2600-3 Bent Drill pilot holes as per Dwg D2750 sheet 4 (D2750-2 details). Drill using drill Jig DT8150-3
 Descriptions: DT8863A for second side only DT8863B for first side (detail K) 4- Locate DT8329 off of blade fitting bolt holes and drill pilot holes for blade fitting. Open to 0.500" using hole saw. VERIFY AND RECORD FWD BEND ANGLE. 6- Drill pilot holes for wearplates as per Dwg D2750 using DT8108 open to 0.297". 7- Open up holes of Detail J to 0.297" (total of 2 holes per side) 8- Weld D2744 Cap as per Dwg D2750 and QSI 004. Fill grooves in bend left from bending as per QSI 004 9- Grind welds flush as per Dwg D2750 AIK 038611
 160 - 1- Open up holes of Detail L using hole saw and ground handling to 0.625" (total of 8 holes per side) as per dwg D2750. 2- Open up holes of Detail K using hole saw to 0.750" (total of 4 holes per side) as per dwg D2750. 3- Open float holes using uni-bit to .500" (4 per Side) 4- Chamfer holes of Detail K, L, ground handling and float holes per dwg D2750 (welding instructions on sheet 9) 5- Deburr and blow out all chips from inside of tube 6- Prepare tube for welding, remove alodine as required. 7- Bond web D2739 in place as per QSI 015, let cure for 12hrs. A/R Sikaflex-291 batch: 138787 exp. date 11/21/2018 ***ATTN: USE I-BEAM LOCATION AID (BLADE FITTING)*** 8- Weld spacers D3490-1, D3490-3 and D2743 as per dwg D2750 & QSI004 (welding instructions on sheet 9) A/R Aluminum Rod batch: 113547 9- At section AP-AP drill out x-bolt spacer to 0.404" 10-Grind welds flush as per Dwg D2750 11- Spot face ground handling holes section (total of 4 places per side) as per dwg D2750 12- Deburr holes, ensure tube is free of all scratches before sending to paint.
 180 - ***VERIFY C'BOARD IS GOOD***
 190 - Re-alodine tube as per QSI 005 section 4.1.2.1 do not acid etch.
 200 - 1- PRIME AS PER DWG AND QSI 005 4.2 PRIMER PRC DESOTO 515X349 BATCH: _____ 2- PAINT WHITE AS PER DWG AND QSI 005 4.2 PAINT BATCH: _____
 210 - Inspect for foreign object per QSI 024
 230 - 1-Install inserts as per dwg D2750 2-Inspect for Foreign Objects 3-Install blade fitting D3488-042, wearshoes and ground handling hardware as per dwg D2750 SIKA FLEX 241 BATCH: 1138767 EXP DATE: 11/10/18 4- assemble o-ring to plug as per dwg D3492 and apply o-ring lube A/R 55-o-ring lube batch: 113547 5-Coat all exposed fasteners with "LRS Procyon" batch: 1113365
 265 - record fwd angle: 89.9° Photocopy blue file and type labels per PPP D350-636-012 CHG 007
 270 - Package as per PPP D350-636-012

003351

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
D2600-3-BENT-RH	Extrusion Bent RH	1 Ea (1 ea)	90-Start up Operation	500 9043941
D2744	Cap	1 Ea (1 ea)	90-Start up Operation	5038835
D2739	350 I-Beam	1 Ea (1 ea)	160-Skiddtubes	5040982
D2743	Crossbolt Spacer	8 Ea (8 ea)	160-Skiddtubes	5000644
D3490-1	Cross Bolt Spacer	4 Ea (4 ea)	160-Skiddtubes	5039269
D3490-3	Cross Bolt Spacer	4 Ea (4 ea)	160-Skiddtubes	5040318
ALS4-1032-225	Rivnut	38 Ea (38 ea)	230-HandFinish	5034386
AN3C5A	Bolt	34 Ea (34 ea)	230-HandFinish	5057155
AN3C6A	Bolt	4 Ea (4 ea)	230-HandFinish	5019397
AN6C44A	Bolt	4 Ea (4 ea)	230-HandFinish	FM137055
AN8C35A	Bolt	1 Ea (1 ea)	230-HandFinish	FM1137202
D2745	Bushing	8 Ea (8 ea)	230-HandFinish	5053257
D3488-042	Blade Fitting RH	1 Ea (1 ea)	230-HandFinish	5040890
D3492-1	Plug	8 Ea (8 ea)	230-HandFinish	5044324
D3492-3	Plug	8 Ea (8 ea)	230-HandFinish	5053031
D3535-25	Wearplate Center	1 Ea (1 ea)	230-HandFinish	5047122
D3536-25	Gasket Center	1 Ea (1 ea)	230-HandFinish	5047737
D3537-1	Wearpad	3 Ea (3 ea)	230-HandFinish	5037409
D3631-1	Washer	8 Ea (8 ea)	230-HandFinish	5058407
D3791-1	Wearpad	1 Ea (1 ea)	230-HandFinish	5049290
D3793-1	Wearplate Fwd	1 Ea (1 ea)	230-HandFinish	5049586
D3793-3	Wearplate Aft	1 Ea (1 ea)	230-HandFinish	5047272
D3794-1	Gasket Fwd	1 Ea (1 ea)	230-HandFinish	5046363
D3794-3	Gasket Aft	1 Ea (1 ea)	230-HandFinish	5046245
MS21043-6	Nut	4 Ea (4 ea)	230-HandFinish	5053037
MS21083C8	Nut	1 Ea (1 ea)	230-HandFinish	5034401
NAS1149C0332R	Washer	38 Ea (38 ea)	230-HandFinish	5041236
NAS1149C0832R	Washer	1 Ea (1 ea)	230-HandFinish	FM138409-120
NAS1515H3L	Washer	4 Ea (4 ea)	230-HandFinish	5036714
NAS1611-010	O-Ring	8 Ea (8 ea)	230-HandFinish	5027098
NAS1611-013	O-Ring	8 Ea (8 ea)	230-HandFinish	5044467
AN8C21A	Bolt	2 Ea (2 ea)	250-Packaging	FM137160
D2741	Replacement Blade	1 Ea (1 ea)	250-Packaging	5040883
D3493-1	Washer	2 Ea (2 ea)	250-Packaging	5052854
D3532-1	Spacer	2 Ea (2 ea)	250-Packaging	5062610
MS21083C8	Nut	2 Ea (2 ea)	250-Packaging	5050046
NAS1149D0863J	Washer	2 Ea (2 ea)	250-Packaging	FM25635


DAS
6
9-89

Job Allocations				
Operation	Component Part	Required	Inventory	Allocated
90-Start up Operation	D2600-3-BENT-RH	1	9	0
	D2744	1	16	0
160-Skidtubes	D2739	1	27	0
	D2743	8	217	0
	D3490-1	4	72	0
	D3490-3	4	55	0
230-HandFinish	ALS4-1032-225	38	1,264	0
	AN3C5A	34	321	0
	AN3C6A	4	342	0
	AN6C44A	4	419	0
	AN8C35A	1	66	0
	D2745	8	49	0
	D3488-042	1	9	0
	D3492-1	8	135	0
	D3492-3	8	88	0
	D3535-25	1	27	0
	D3536-25	1	37	0
	D3537-1	3	102	0
	D3631-1	8	83	0
	D3791-1	1	19	0
	D3793-1	1	23	0
	D3793-3	1	31	0
	D3794-1	1	19	0
	D3794-3	1	47	0
	MS21043-6	4	125	0
	MS21083C8	1	175	0
	NAS1149C0332R	38	5,308	0
	NAS1149C0832R	1	91	0
	NAS1515H3L	4	267	0
	NAS1611-010	8	413	0
	NAS1611-013	8	303	0
250-Packaging	AN8C21A	2	148	0
	D2741	1	70	0
	D3493-1	2	26	0
	D3532-1	2	44	0
	MS21083C8	2	175	0
	NAS1149D0863J	2	153	0
Part Specifications				
Specifications could not be found.				

Plex 3/19/18 8:51 AM Dart.Gagnon.Michelle

D3492-XX PLUG
(SEE TABLE)

NAS1611 O-RING
(SEE TABLE)



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 174568
MAR 19 2018

D3492-XXX PLUG PARTS LIST

QTY -041	QTY -043	QTY -045	QTY -047	QTY -049	QTY -051	QTY -053	QTY -055	PART NUMBER	DESCRIPTION
X								D3492-041	PLUG ASSEMBLY
	X							D3492-043	PLUG ASSEMBLY
		X						D3492-045	PLUG ASSEMBLY
			X					D3492-047	PLUG ASSEMBLY
				X				D3492-049	PLUG ASSEMBLY
					X			D3492-051	PLUG ASSEMBLY
						X		D3492-053	PLUG ASSEMBLY
							X	D3492-055	PLUG ASSEMBLY
1								D3492-1	PLUG
	1							D3492-3	PLUG
		1						D3492-5	PLUG
			1					D3492-7	PLUG
				1				D3492-9	PLUG
					1			D3492-11	PLUG
						1		D3492-13	PLUG
							1	D3492-15	PLUG
		1						NAS1611-005	O-RING
			1					NAS1611-007	O-RING
1								NAS1611-010	O-RING
						1		NAS1611-012	O-RING
	1							NAS1611-013	O-RING
				1			1	NAS1611-015	O-RING
								NAS1611-016	O-RING

NOTES:
1) O-RING: POSSIBLE SUPPLIER P/N: NAS1611-XXX OR PARKER 2-XXX

RELEASED
2013-11-13

E	ADD -055 PLUG ASSY & -15 PLUG	AP	13.08.08
D	INCORPORATED DEO D3492-C-1. SHT 2 DIM C FOR -1 WAS 0.055. (SEE CAR11-049)	AJS	11.05.24
C	ADD -049-051-053, CHANGE DRAWING FORMAT	PH	07.10.05
B	ADD -047: UPDATE DIM A FOR -045	PH	06.05.11
A	NEW ISSUE	PH	06.01.04
REV.	DESCRIPTION	BY	DATE
DESIGN	PH	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AP		
CHECKED	AJS	DRAWING NO.	REV. E
MFG. APPR.	14	D3492	SHEET 1 OF 2
APPROVED	14	TITLE	SCALE
DE APPR.	14	PLUG	NTS
DATE	13.08.08	COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS UNCLASSIFIED AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE LTD.	

QTY -041	QTY -042	QTY -043	QTY -044	PART NUMBER	DESCRIPTION
X				D2750-041	350 SKIDTUBE ASSEMBLY, LH
	X			D2750-042	350 SKIDTUBE ASSEMBLY, RH
		X		D2750-043	350 SKIDTUBE ASSEMBLY, LH
			X	D2750-044	350 SKIDTUBE ASSEMBLY, RH
1	1	1	1	D2739	WEB
8	8	8	8	D2743	SPACER
1	1	1	1	D2744	CAP
8	8	8	8	D2745	BUSHING
1				D2750-1	SKIDTUBE WELDMENT, LH
	1			D2750-2	SKIDTUBE WELDMENT, RH
		1		D2750-3	SKIDTUBE WELDMENT, LH
			1	D2750-4	SKIDTUBE WELDMENT, RH
1		1		D3488-041	BLADE FITTING, LH
	1		1	D3488-042	BLADE FITTING, RH
4	4	4	4	D3490-1	SPACER
4	4			D3490-3	SPACER
		4	4	D3490-5	SPACER
8	8	8	8	D3492-041	PLUG ASSEMBLY
8	8			D3492-043	PLUG ASSEMBLY
		8	8	D3492-045	PLUG ASSEMBLY
1	1	1	1	D3535-25	WEARSHOE
1	1	1	1	D3536-25	GASKET
3	3	3	3	D3537-1	WEARPAD
8	8	8	8	D3631-1	WASHER
1	1	1	1	D3791-1	WEARPLATE
1	1	1	1	D3793-1	WEARSHOE
1	1	1	1	D3793-3	WEARSHOE
1	1	1	1	D3794-1	GASKET
1	1	1	1	D3794-3	GASKET
38	38	38	38	ALS4-1032-225	INSERT (OR ALS7-1032-225, AKS4-1032-225, AELS-1032-225)
34	34	34	34	AN3C5A	BOLT
4	4	4	4	AN3C6A	BOLT
4	4	4	4	AN6C44A	BOLT
1	1	1	1	AN8C35A	BOLT
38	38	38	38	AN960C10L	WASHER
1	1	1	1	AN960C816L	WASHER
4	4	4	4	MS21043-6	NUT
1	1	1	1	MS21083C8	NUT
4	4	4	4	NAS1515H3L	WASHER

GENERAL NOTES:

- MATERIAL: MAKE D2750-1/-2/-3/-4 FROM D2600-3 EXTRUSION (INITIAL LENGTH = 120.0).
- FINISH: ACID ETCH, ALODINE ASSEMBLY PER DART QSI 005 4.1 PRIOR TO INSTALLING D2739 WEB.
STANDARD: PRIME (REF. 4.2.1.3.3) AND PAINT WHITE PER DART QSI 005 4.2
OPTIONAL: POWDER COAT WHITE (REF. 4.3.5.1) PER DART QSI 005 4.3
BLACK ANTI-SKID PAINT AS INDICATED TO 1.0 ABOVE SKIDTUBE CENTER-LINE PER DART 005 4.4 (OPTIONAL).
- TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- UNITS: INCHES UNLESS OTHERWISE NOTED
- BREAK SHARP EDGES: N/A
- IDENTIFICATION: N/A
- WEIGHT: D2750-041/-042/-043/-044 = 26.5 LBS
- WELD PER DART QSI 004
- INSTALL ALS4-1032-225 INSERTS AFTER FINISH AS INDICATED. DRILL 'F' SIZE HOLES ($\phi 0.297$) FOR WEARSHOE INSERTS
- FINAL CONFIGURATION SHOULD HAVE THE FOLLOWING MINIMUM MECHANICAL PROPERTIES:
MINIMUM YIELD TENSILE STRENGTH = 35 KSI
MINIMUM ULTIMATE TENSILE STRENGTH = 38 KSI
- COAT ALL EXPOSED FASTENERS WITH LPS LABORATORIES "LPS PROCYON" AFTER FINAL ASSEMBLY, CLEAN EXCESS OFF FINISH WITH MEK DEGREASER.
- SPACER AND PLUG INSTALLED SAME AS SECTION AJ-AJ EXCEPT HORIZONTAL
- SPACER AND PLUG INSTALLED SAME AS SECTION AP-AP EXCEPT HORIZONTAL


RELEASED
2013-08-13
WD

G	CORRECTED TOLERANCE ON $\phi 0.500$ THRU HOLE: IS $+0.010/-0.000$, WAS $+0.100/-0.000$ (ZN B3-4, B2-5); ADD VIEW TO CONTROL, FWD BEND ORIENTATION (ZN D-1-4/-5/-6/-7); UPDATED FINISH OPTIONS; INSIDE OF TUBE NO LONGER SPRAYED WITH LPS-3. REASON: PAR13-276 AND NCR13-2757	MB	13.07.11
F	INCORPORATE DSI 9413. QTY (3) D3537-1 WAS QTY (5) (ZN C8-1); D3791-1/-3 REPLACES D3535-13/-35 (ZN C8-1); D3794-1/-3 REPLACES D3536-13/-35 (ZN B8-1); ADD D3791-1 (ZN C8-1); WEARSHOE HOLES UNDER FWD/AFT SADDLE REMOVED (8 PL); WEARSHOE HARDWARE QTY UPDATED (ZN B8-1); D3488-041/-042 HARDWARE UPDATED (ZN C1-8, 9, 10, 11); ADD NOTE 12 AND 13 (ZN A6-1); REASON: REF. NCR 08-043	PH	08.07.16
E	CHANGE TO STAINLESS STEEL WEARPLATES. ADD RUBBER GASKETS; CHANGE INSERTS; ADD D3631-1; REMOVE QTY (38) NAS1515H3L; REMOVE QTY (10) NAS1515H8L; REMOVE D2741; QTY (2) AN960C816; REMOVE QTY (2) MS21083C8	CB	07.05.17
D	ADD HOLES AND SPACERS FOR APICAL FLOATS; INCORPORATE DEO 9133/9157	PH	06.01.05
C	ADD D2750-3/D2750-4; INCORPORATE D2738 AND D2740	CP	98.11.18
B	CHANGE MS24694-S293 TO AN8-18A	CP	98.09.01
A	NEW ISSUE	DS	98.04.16
REV.	DESCRIPTION	BY	DATE
DESIGN	MM	DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	
CHECKED		DRAWING NO.	REV. G
MFG. APPR.		D2750	SHEET 1 OF 11
APPROVED		TITLE	SCALE
DE APPR.		350 SKIDTUBE ASSEMBLY	NTS
DATE	13.07.11	COPYRIGHT © 1998 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	


DESIGN	MM
DRAWN	
CHECKED	
MFG. APPR.	
APPROVED	
DE APPR.	
DATE	13.07.11
DART AEROSPACE USA, INC. KENT, WA	
DRAWING NO. D2750 REV. G SHEET 2 OF 11 SCALE 350 SKIDTUBE ASSEMBLY NTS	
COMMENT: © 1998 BY DART AEROSPACE USA, INC. NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING FROM DART AEROSPACE USA, INC.	


RELEASED
2013-08-13

D2750-042 350 SKIDTUBE ASSEMBLY, RH



D2750-041 350 SKIDTUBE ASSEMBLY, LH







RELEASED
2013-08-13
ND

DESIGN	MM	DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	
CHECKED		DRAWING NO. D2750	REV. G
MFG. APPR.		SHEET 3 OF 11	
APPROVED		TITLE	SCALE
DE APPR.		350 SKIDTUBE ASSEMBLY	NTS
DATE	13.07.11	COPYRIGHT © 1986 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS UNCLASSIFIED AND IS SUPPLIED ON THE BASIS OF THE INFORMATION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR REPRODUCED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE USA, INC.	


8 7 6 5 4 3 2 1




D2750-1 LH SKIDTUBE




DETAIL A
SCALE 2X




DETAIL B
SCALE 2X




DETAIL C
SCALE 2X




DETAIL D
SCALE 2X




SECTION E-E
SCALE 3X, 2 PL




SECTION F-F
SCALE 3X, 17 PL



SECTION G-G
SCALE 3X, 4 PL



SECTION H-H
SCALE 3X, 4 PL












MAX ALLOWABLE TWIST ON FWD BEND (VIEWED LOOKING FWD)

RELEASED
2013-08-13



DESIGN	MM	DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	
CHECKED		DRAWING NO. D2750	REV. G
MFG. APPR.		SHEET 4 OF 11	
APPROVED		TITLE	SCALE
DE APPR.		350 SKIDTUBE ASSEMBLY NTS	
DATE	13.07.11	COPYRIGHT © 1998 BY DART AEROSPACE USA, INC.	

8 7 6 5 4 3 2 1




RELEASED
2013-08-13

DESIGN	MM	DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	
CHECKED		DRAWING NO. D2750	REV. G
MFG. APPR.		SHEET 5 OF 11	
APPROVED		TITLE 350 SKIDTUBE ASSEMBLY	SCALE
DE APPR.		NTS	
DATE	13.07.11	COPYRIGHT © 1988 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS UNCLASSIFIED AND IS AVAILABLE TO THE PUBLIC WITHOUT LIMITATION NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY FORM WITHOUT PERMISSION EXCEPT WHERE SHOWN OTHERWISE	




MAX ALLOWABLE
TWIST ON FWD BEND
(VIEWED LOOKING FWD)


D2750-4 RH SKIDTUBE




DETAIL AA
SCALE 2X




DETAIL AB
SCALE 2X




DETAIL AC
SCALE 2X



SECTION AD-AD
SCALE 3X, 17 PL




SECTION AE-AE
SCALE 3X, 4 PL



SECTION AF-AF
SCALE 3X, 4 PL


RELEASED
2013-08-13

DESIGN	MM	DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	
CHECKED		DRAWING NO. D2750	REV. G
MFG. APPR.		SHEET 7 OF 11	
APPROVED		TITLE	SCALE
DE APPR.		350 SKIDTUBE ASSEMBLY NTS	
DATE	13.07.11	COPYRIGHT © 1998 BY DART AEROSPACE USA, INC.	








RELEASED
2013-08-13

8 7 6 5 4 3 2 1




D2750-042 350 SKIDTUBE ASSEMBLY, RH

RELEASED
2013-08-13








DESIGN	NM	DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	
CHECKED		DRAWING NO.	REV. G
MFG. APPR.		D2750	SHEET 9 OF 11
APPROVED		TITLE	SCALE
DE APPR.		350 SKIDTUBE ASSEMBLY	NTS
DATE	13.07.11	COPYRIGHT © 1998 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS UNCLASSIFIED AND IS NOT TO BE RELEASED OR DISCLOSED TO THE PUBLIC OR ANY OTHER ENTITY WITHOUT THE EXPRESS WRITTEN PERMISSION OF DART AEROSPACE USA, INC.	

8 7 6 5 4 3 2 1



D2750-043 350 SKIDTUBE ASSEMBLY, LH

RELEASE
2013-08-13



DESIGN	MM	DART AEROSPACE USA, INC.	
DRAWN		KENT, WA	
CHECKED		DRAWING NO. D2750	REV. G
MFG. APPR.		TITLE	SHEET 10 OF 11
APPROVED		350 SKIDTUBE ASSEMBLY	SCALE
DE APPR.			NTS
DATE	13.07.11	COPYRIGHT © 1988 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS UNCLASSIFIED EXCEPT WHERE SHOWN OTHERWISE NO PART OF THIS DOCUMENT IS TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS WITHOUT PERMISSION IN WRITING FROM DART AEROSPACE USA, INC.	

